(19) World Intellectual Property Organization

International Bureau





(43) International Publication Date 14 July 2005 (14.07.2005)

PCT

(10) International Publication Number WO 2005/064310 A1

(51) International Patent Classification7: G01N 3/00, 33/02

(21) International Application Number:

PCT/IN2003/000443

(22) International Filing Date:

31 December 2003 (31.12.2003)

(25) Filing Language:

English

(26) Publication Language:

English


- (71) Applicant (for all designated States except US): COUN-CIL OF SCIENTIFIC AND INDUSTRIAL RE-SEARCH [IN/IN]; Rafi Marg, New Delhi 110 001 (IN).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): IYENGAR. Narasimha, Hampapura, Venkatarama [IN/IN]; Central Food Technological Research Institute, Mysore 570 013, Karnataka (IN). BALAKRISHNAN, Sashikala, Vadakkoot [IN/IN]; Central Food Technological Research Institute, Mysore 570 013, Karnataka (IN). PRATAPE,

Vishwas, Manoharrao [IN/IN]; Central Food Technological Research Institute, Mysore 570 013, Karnataka (IN).

- (74) Agents: SUBRAMANIAM, Hariharan et al.; Subramaniam, Nataraj & Associates, Patent & Trademark Attorneys, E-556, Greater Kailash-II, New Dehli 110 048 (IN).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: METHOD AND DEVICE FOR MEASURING THE TEXTURE OF COOKED GRAINS



(57) Abstract: A method and device for assessing end point of cooking of dhal and rice with good reproducibility are disclosed. Pulses are generally consumed as dhals after cooking to soft texture. Measurement of end point of cooking of dhals, rice etc is very subjective and current methods are not very satisfactory. An innovative device and an objective method for carrying out the same were developed. This works on the principle of determining the "spread area" during progressive cooking for dhals as well as rice, and reading the cooking time form a graph plotted. The device developed for the purpose can be used to exert the desired force for pressing the cooked grain and the area to which the grain spreads is determined by counting the number of squares from an appropriate graph sheet as "spread area" is plotted against the period of cooking a progressive increase was observed. The time at which, there was a sudden increase in the spread area or when a change in the slope of the curve (sudden deflection / steadiness) occurred was considered as cooking time of the sample (dhal / rice) being cooked. The method now reported corroborated well with the standard instrumental methods. This invention provides an objective and reliable method for assessing end point of cooking of dhal and rice with good reproducibility.



Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.